

MF 919

- Large Touch Screen
- Front/Rear Camera
- Fingerprint Reader
- Barcode Scanner
- 4G/3G/WiFi connectivity




Specifications :

OS	Android 7.1
Processor	Quad-core + secure CPU
Memory	1GB RAM, 8GB Flash, 2GB RAM (optional)
Extendable memory	TF card, maximum supported (optional)
Display	5 inch IPS color screen, 720*1280
Touch Screen	Multi-point capacitive touch screen
Key	Virtual key
Magnetic Card Reader	Track 1 / 2 / 3, Bi-directional ISO7811 standard
IC Card Reader	ISO7816, EMV standard
NFC Card Reader	Support ISO14443 Type A/B, Mifare card, EMV contactless L1 standard, Felica
Printer	Built-in high-speed thermal printer, supports graphic printing Scroll width/diameter: 58mm/40mm
Communication	4G/3G/2G WIFI: IEEE 802.11 b/g/n Bluetooth 4.0
SAM Card Reader	Support ISO 7816 with Secure Element
Encryption	Built-in national encryption chip, support SM2, SM3, SM4 algorithm
Physical Port	Micro USB 2.0
GPS	Built-in GPS,
Data Capture	Front : 0.3 megapixel, Back: 5 megapixel, flashlight(optional) Auto-focusing
Audio	Speaker, Headphone jack & Mic
Battery	5000mAH
Power Supply	Input AC 100V-240V Output DC 5V/1A
Weight	388g
Size	81 x 180.4 x 54.8 mm
Certifications	PCI PTS 5.0 EMV Contact L1 & L2 EMV Contactless L1 TQM Paypass Paywave CE FCC

MF 360

- 4G/WiFi and USB connectivity
- Large Touch Screen
- QR Code Scanner
- Dual Camera
- Accepts EMV and NFC payments
- Connects smart devices via Bluetooth



Specifications :

OS	Android 7.1
Processor	Quad-core 1.3GHZ + secure CPU
RAM / FLASH - Minimum	1 GB DDR3 RAM, 8 GB eMMC
RAM / FLASH - Maximum	2 GB DDR3 RAM, 16 GB eMMC
Memory Card Slot	Support Micro SD card expandable upto 16GB or above
Magnetic Card	Track1/2/3, Bi-directional, ISO7811 standard
Smart Card	ISO7816, EMV/PBOC 3.0 standard
Contactless Card	Support ISO14443 type A/B, Mifare card, qPBOC L1 & 2 standard, Felica
Display	5 inch IPS color screen, 720*1280
Touch Screen	Multi-point capacitive touch screen
Button / Key	Power button, scan button, volume key
P-SAM	1 Slot
SIM	2 Slots
4G	Yes (2G/3G compatible)
Wi-Fi	Yes - 802.11 b/g/n
Bluetooth	Bluetooth 4.0
USB	Yes-1 micro-USB
Camera	Dual Camera: Front:0.3 megapixel, Back:5 megapixel
GPS	Built-in GPS, support A-GPS, GLONASS, Compass
Audio / Speaker	Support voice playing and recording
1 / D Scanner	Optional 1D or 2D dedicated decoding module
Power Adapter	Input AC 100V-240V, Output DC 5V/2A
Battery	Rechargeable Lithium Polymer of 3.8V, 4000 mAh
Weight	290g
Size	157 x 77.6 x 19.2mm
EMV Contact L1 and L2	Yes
EMV Contactless L1	Yes
PCI PTS	Yes - PCI PTS 5.X
Biometry	Integrated Rugged Biometric Fingerprint scanner with STQC certification

708, Harikrishna Complex, Opp. Kothawala Flats, Ashram Road
Pritamnagar, Ahmedabad -380 006, Phone 78 2000 67 05/06.07
M.: 9825500360 / 9377701360 Fax: 079 - 2657 3762
E Mail: newwaveelectronics@rediffmail.com,
www.newwaveelectronics.co.in

NEW WAY S100

- 10" capacitive touchscreen
- Full motion video
- High-Quality audio
- 5MP camera ideal for scanning & accepting alternative payments
- Dust & water resistance



Specifications :

OS	Android 10
Processor	1.8 GHz
Memory	1GB RAM+8GB Flash
Battery	4000 mAH
Display	10' FWVGA (1280x800)
Touch Screen	Multi-Touch capacitive screen
Printer	2' inch high speed printer
Connectivity	4G, 3G & 2G, WiFi, BT 3 USB, RJ45
Audio/Video Streaming	H.264
Camera	Integrated 5MP w/ Auto Focus
Security	PCI PTS approved
Environmental	Operating temperature: 0° to 50° C (32° to 122° F); storage temperature: -20° to 60° C (-4° to 140° F); relative humidity: 90%, non-condensing
Card Reader	Triple track MSR: ISO 7810, 7811, 7813, smart card reader, EMVco-approved
Contactless	ISO14443 A&B, MiFare, ISO18092-capable, EMVCo L1 and L2 certification supports major NFC/contactless scheme

H9

- Linux system with large memory and long battery life
- Integrates with EMV, Magstrip and NFC Card Readers
- Compliant with PCI, PTS
- 4G, WiFi, USB Connectivity
- Ensures payment and data security



Specifications :

Processor	32-bit secure CPU, ARM CORTEX A7, 1.2 GHz SP
OS	Linux operating system
Memory	Flash – 512 MB, SDRAM – 256 MB
Display	2.4", 320x240 Color LCD with backlight Supports electronic signature + stylus provided LED indicator charge
Card Readers	Contactless reader – supports 13.56 MHz, ISO 14443, Type A/B, MiFare one Card, Felica Chip-card reader- EMV 4.3 Mag-stripe reader – compliant with ISO7810 ISO7811, ISO7812, Track1, 2, 3, bi-directional swipe
Keypad	10 alphanumeric key Desired function keys Separate power key
Printer	Built-in high-speed thermal printer, Easy-load style; Paper width: 58 +0/-1mm, Paper roll outside diameter: 40mm
Battery	Rechargeable Lithium Polymer battery of 2*1500mAh, 3.7V 150hr backup
Security & Approvals	PCI PTS 4.x (PCI 6.x under testing, expected Dec 2020) MasterCard TQM EMV4.3 Level 1 & 2 MasterCard Contactless – PayPass Visa Contactless – payWave AMEX – ExpressPay Rupay - qSPARC RoHS compliant Environmental management system: ISO 14001:2004 CCC Compliant CE certified
Connectivity	1 mini USB OTG
Communications	Standard: GPRS with 4G + Wi-Fi
Slots and Connectors	Max 3 PSAM slots compliant with ISO7816 (optional) 1 SIM slot
Operating and Storage Conditions	Operating temperature 0°C to 50°C Storage temperature -20°C to 60°C Operating relative humidity 10% to 90% RH (non-condensing) Storage relative humidity 5% to 95% RH (non-condensing)
Power Supply	Input 100 ~ 240VAC, 50 Hz/60Hz; Output 5VDC, 1A

QPOS Mini

QPOS Mini allows you to make secure payments anytime and anywhere with Smartphones and Tablets. It can be easily integrated with Apps running on iOS, Android and Windows.



Bluetooth & USB



Specification:

EMV Card Reader	EMV/PBOC Chip Card Reader, ISO 7816 Compliant Class A, B, C
Magnetic Stripe Card Reader	Dual track (track 1 & 2, track 2 & 3)
NFC Reader	EMV contactless, ISO 14443A/B
Communication Interface	Bluetooth® v3.0, Bluetooth® v4.0 and USB
Power & Battery	Lithium polymer rechargeable battery 250 mAH, 3.7V
Charging	Via micro USB
Indicator	LED status indicator & NFC LED indicator
Key Management	DUKPT, Fixed Key, MK/SK
Encryption Algorithm	DES, 3DES, AES, RSA, SHA-256
Operating Life Per Full Charge	500 EMV transactions (approx.) 4000 MSR transactions (approx.) 700 EMV contactless transactions (approx.)
Support Operating System	Android 2.1 or above iOS 6.0 or above Windows Phone 8 MS Windows
Certification	PCI-PTS 4.x with SRED America Express Pay JCB J/Speedy EMV L1 & L2 EMV Contactless L1 VISA PayWave MasterCard PayPass MasterCard TQM VISA Pin Security Discover D-PAS PBOC 3.0 L1 & L2 QPBOC 3.0 L2 Bluetooth BQB FCC, CE RoHS
Dimension	89.7 x 59.0 x 14.8 mm
Weight	75g